

NOTICE TO BIDDERS

Sealed bids will be received by the City Council of the, City of Faulkton, PO Box 21, South Dakota, 57438, at the office of the City Finance Officer of said City until 2:00 pm (local time) on the 2nd day of June, 2026, and then be publicly opened and read, for furnishing all equipment, labor, and materials as set forth in the specifications and performing all work, incidental thereto for Runway 13/31 Reconstruction & Taxiway Improvements, Faulkton Municipal Airport, Faulkton, South Dakota.

Base Bid

Primary Work: Approximately 262 SqYd Asphalt Cold Milling (2" Nominal Depth), 24,502 SqYd Asphalt Pavement/Base Removal (8" Nominal Depth), 86,025 CuYd Unclassified Excavation, 17,308 CuYd Borrow Excavation (On-site), 30,780 CuYd Subbase Course (Furnished), 4,764 CuYd Subbase Course (Recycled), 44,655 SqYd Geotextile Separator Fabric, 1,500 SqYd Geogrid, 7,089 CuYd Aggregate Base Course, 9,718.8 Ton Asphalt Base/Surface Course, 680.3 Ton Asphalt Binder (PG 64-34), 54.9 Emulsified Asphalt Prime Coat, 18.3 Emulsified Asphalt Tack Coat, Temporary Runway and Taxiway Pavement Markings, Runway and Taxiway Pavement Markings, 248 Ft 30" RCP (Class III), 2 Each 30" RCP (Class III) Flared Ends, 302 Ft 24" RCP (Class III), 4 Each 24" RCP (Class III) Flared Ends, 226 Ft 15" RCP (Class III), 3 Each 15" RCP (Class III) Flared Ends, 9,532 Ft 4" Perforated Underdrain Pipe Complete, 26 Each Underdrain Cleanout, 2 Each Underdrain Tee, 10 Each Connect Underdrain to RCP Storm Sewer, 1 Each Connect to Existing Underdrain, 1 Each Cap and Abandon Existing Underdrain, 1 Each 2'x3' Type B Inlet w/Type E Frame, Grate, and 10'x10' Concrete Apron, 9,791 Ft Barbed Wire Fence, 3 Each Tubular Gate, 1,278 Ft 10' Chain-Link Fence, 16.9 Acres Seeding and Fertilizing, 13,564 CuYd Topsoil (Removed from Stockpile), 81,709 SqYd Mulching, Field Laboratory, Existing Site Removals, Erosion Control, 1 Each Remove and Dispose of Existing Primary Windcone; Remove and Dispose of Concrete Footing, 1 Each L-807, LED, Style 1B (Internally Lit), Size 2 (12 Feet) w/ Single L-810 LED Steady Burn Red Obstruction Light Including Concrete Footing & Site Pad, 1 Each Electrical Equipment Rack, Locating Existing Underground Utility Work, 10,000 Ft 1/C No. 8 AWG, 5kV, XLPE, L-824, Type C Cable Installed in Conduit, 3,672 Ft 1/C No. 4 Cu. AWG, 600V, THWN-2, Installed in Conduit 1/C No. 6 Cu. AWG, 600V (GND), THWN-2, Installed in Conduit, 1,836 Ft 1/C No. 6 AWG, Solid, Bare Copper Counterpoise Wire, Including Trenching or Plowing, Including Ground Rods, Connections, & Terminations, 8,690 Ft Airfield Electrical, Lighting, and Control Vault Equipment Work, Complete, 1 Each 10' x 12' Pre-Fabricated, Airfield Electrical, Lighting, & Control Vault Building, Including Concrete Footings, & Site Preparation & Restoration, 1 Each L-821 Airfield Lighting Control Panel, Type 1 (Conventional), Class W (Wall Mounted), Style 1 (Unlighted), Mode 1 (Generic), 1 Each L-854, Type 1 Air-to-Ground Radio Control Equipment w/ Heavy Duty Antenna & Mounting Brackets, 1 Each L-829 Constant Current Regulator (CCR) w/ Monitoring Options, Class 1 (6.6A), Style 1 (3-Step), 7.5 kW Size, Abandon Existing DEB Cable & Counterpoise, 10,846 Ft Trenching & Backfilling or Plowing for Conduit, 10,578 Ft Non-Encased, Electrical Conduit, 1-2 Inch, Type I, Sch. 40 PVC in Trench or SDR 13 HDPE Plowed, 55 Ft Non-Encased, Electrical Conduit, 1-2 Inch, Type III, SDR 11 HDPE, Bored, 408 Ft Sand-Encased, Electrical Conduit, 2-2 Inch, Type III, Sch. 80 PVC in Trench, 14 Each Cable Markers, 9 Each L-867B (12"), Class 1A, Junction Box with Flat

Etched Steel Cover, 18 Each Remove & Dispose of Existing Runway Stake-Mounted Threshold Lights; Abandon Existing Transformers, 31 Each Remove & Dispose of Existing Runway Stake-Mounted Edge Lights; Abandon Existing Transformers, 4 Each Remove & Dispose of Existing Taxiway Stake-Mounted Edge Lights; Abandon Existing Transformers, 2 Each Remove & Dispose of Existing DEB Sign, 43 Each L-853 Retroreflective Marker, Type II (Elevated), Style I (Plowable), Soil Anchored, 33 Each L-861, 30-Inch Elevated, Mode 1, LED, Medium Intensity Runway Light (MIRL), White/Yellow, Including Base Can & Concrete, 2 Each L-861, 30-Inch Elevated, Mode 1, LED, Medium Intensity Runway Light (MIRL), Yellow/Red, Including Light Base Can & Concrete, 2 Each L-861, 30-Inch Elevated, Mode 1, LED, Medium Intensity Runway Light (MIRL), Green/Yellow, Including Light Base Can & Concrete, 2 Each L-861, 30-Inch Elevated, Mode 1, LED, Medium Intensity Runway Light (MIRL), Yellow, Including Light Base Can & Concrete, 8 Each L-861E, 30-Inch Elevated, Mode 1, LED, Medium Intensity Runway Light (MIRL), Red, Including Light Base Can & Concrete, 6 Each L-861E, 30-Inch Elevated, Mode 1, LED, Medium Intensity Runway Light (MIRL), Green Uni-direction, Including Light Base Can & Concrete, 28 Each L-861T, 30-Inch Elevated, Mode 1, LED, Medium Intensity Taxiway Light (MITL), Blue, Including Light Base Can & Concrete, 4 Sets L-861T, 30-Inch Elevated, Entrance/Exit, Mode 1, LED, Medium Intensity Taxiway Light (MITL), Blue, Including Base Can & Concrete (2 Units per Set), 2 Each L-858R/L, Mandatory/Location, Airfield Sign, Size 1, Style 4 (Unlighted), Mode 1, 2-Module Including Concrete Sign Pad, 2 Each L-858R/L, Mandatory/Location, Airfield Sign, Size 1, Style 4 (Unlighted), Mode 1, 3-Module Including Concrete Sign Pad, 2 Each L-881 Abbreviated Precision Approach Path Indicator (PAPI), Style B (Current), Class 2, LED, w/ Baffles Including Concrete Footings, Site Pads, & Junction Boxes, Spare Parts

Alternate Bid 1

Primary Work: Approximately 1 Each Remove & Dispose of Existing Beacon w/ Bird Spikes; Wood Utility Pole to Remain, 1 Each L-801A LED Rotating Beacon, Class 2, Including Tell-Tale Relay, L-810 Double LED Steady Burn Red Obstruction Lights, 1 Each 40' Tip-Down Pole, Primed & Painted Including Concrete Footing & Site Pad, 154 Ft 1/C No. 4 Cu. AWG, 600V, THWN-2, Installed in Conduit, 77 Ft 1/C No. 6 Cu. AWG, 600V (GND), THWN-2, Installed in Conduit, 48 Ft Trenching & Backfilling or Plowing for Conduit, 77 Ft Non-Encased, Electrical Conduit, 1-2 Inch, Type I, Sch. 40 PVC in Trench or SDR 13 HDPE Plowed

1. Plans and Specifications: Copies of the Plans and Specifications are available for inspection at:

Office of the City of Faulkton, South Dakota, or at the Office of Helms and Associates, 416 Production Street, Aberdeen, South Dakota.

Plans and Specifications may be obtained, at the Office of the latter, upon payment to Helms and Associates for shipping and handling in the amount of \$100 for an 11" x 17" size set of plans and specifications.

Plans and Specifications may be retrieved by registering with the Issuing Office at <http://www.helmsengineering.com/biddocs.html>. Following registration, complete sets of Plans and Specifications may be downloaded as portable

document format (PDF) files. **Users who have downloaded the Plans and Specifications will be mailed an invoice of \$20.00.** All payments are non-refundable.

Additionally, upon request, in accordance with South Dakota Codified Law 5-18B-1, one copy of Plans and Specifications shall be furnished, without charge, to each Contractor resident in South Dakota who intends, in good faith, to bid upon the project.

2. Bid Guarantee: Each bid must be accompanied by a certified check, cashier's check or draft in the amount of five percent (5%) of the total bid, and drawn on a solvent State or National Bank, or a ten percent (10%) Bid Bond issued by a surety authorized to do business in the State of South Dakota and payable to the City of Faulkton, South Dakota.
3. Contract Bonds: Separate Payment and Performance Bonds guaranteeing faithful performance of the Contract and payment of all labor, materials, rentals, etc., will be required for an amount equal to one hundred percent (100%) of the amount of the Contract. All bonds must be issued or co-signed by a licensed resident agent of South Dakota.
4. Commencement and Completion: The Engineer will set the beginning date in a written "Notice to Proceed with Construction". The Contractor shall begin the work within ten (10) days of the date set forth in the written "Notice to Proceed" and shall complete the work within the number of calendar days, working days, or completion date or dates as shown in the Specifications.
5. Title VI: The City of Faulkton, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 USC §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders or offerors that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.
6. Minimum Wage Rates: The successful bidder will be required to comply with all applicable Federal Labor Laws, including the minimum wage rates decision of the United States Department of Labor.
7. Affirmative Action: A Contractor who may be awarded a contract of \$10,000 or more and subcontractors who may be awarded a subcontract of \$10,000 or more will be required to maintain an affirmative action program, the standards for which are contained in the advertised specifications.
8. Award of Contract: The right is reserved, as the interest of the City of Faulkton, South Dakota, may require, to reject any and all bids, to waive informality in bids

received, and to accept or reject any items of any bid, unless such bid is qualified by specific limitation.

- 9. The contractor will certify that he and any of his subcontractors meet the requirements of 49 CFR, Part 29, regarding debarment, suspension, ineligibility and voluntary exclusion as further described in these specifications.
- 10. The contractor will certify that he and his subcontractors will comply with the 49 CFR, 30.17, regarding Foreign Trade Restrictions as further noted in project specifications.
- 11. The contractor will certify that he and his subcontractors will comply with "BUY AMERICAN CERTIFICATION (JAN. 1991)" as further noted in project specifications.
- 12. The contractor will comply with "BUY AMERICAN-STEEL AND MANUFACTURED PRODUCTS FOR CONSTRUCTION CONTRACTS (JAN. 1991)" as further described in project specifications.
- 13. If an applicant (corporation) has either unpaid Federal tax liability or has been convicted of a criminal violation under any Federal law within the preceding 24 months, the applicant is ineligible to receive an award unless the sponsor has received notification from the agency suspension and debarment official (SDO) that the SDO has considered suspension or debarment and determined that further action is not required to protect the Government's interests.

A Pre-Bid Conference will be held at 2:00 p.m. (local time), May 26, 2026 via GoToMeeting. The conference is intended to clarify any questions regarding bidding and/or construction requirements. All interested contractors, subcontractors, and suppliers are encouraged to attend. Below is the link and call-in information:

<https://meet.goto.com/608622997>

Access Code: 608-622-997

United States: +1 (646) 749-3122

CITY OF FAULKTON, SOUTH DAKOTA

BY /s/ Trisha Adams

Finance Officer

Title

Advertising Date:

5/13/2026

5/20/2026